FEBRUARY 1993 ISSUE # 42

VZ 200-300 HUNTER VALLEY VZ JOURNAL



PRODUCED BI-MONTHLY BY H.V.VZ.U.G.
A NON PROFIT ORGANIZATION

HUNTER VALLEY VZ USERS' GROUP

THE SECRETARY/EDITOR
JOSEPH P LEON
35 TIGHES TERRACE
TIGHES HILL NSW 2297

(049) 69 2399

25.3.93

DEAR MEMBER,

According to our records your subscription runs out with enclosed issue. If re-subscribing please make cheque/money order/etc payable to: Joseph P LEON.

Yours sincerly

J.P. Leon

SECRETARY/EDITOR
JOSEPH P LEON

JL

FRONT COVER

SHOULD THE JOURNAL CATER FOR IBM TYPE COMPUTERS LIKE SOME MEMBERS HAVE SUGGESTED? I'M INTERESTED IN YOUR OPINION. IN THE MEANTIME READ MY COMMENTS ON PAGE 3 ON THE SUBJECT, ED.

HELP - SELL & TELL Page 3

CONDOLENCES, FAREWELL HARRY, IS THE END OF THE VZ NEAR?, WANTED TO BUY AND SYSTEM FOR SALE.

VZ BUS MOUSE PART 3 BY L MILBURN Pages 4-10

THIS IS THE FINAL PART ON THE BUS MOUSE SERIES. ANYONE WANTING THE MOUSE DRIVER AND SOURCE CODE PLEASE CONTACT THE EDITOR.

CHECKDISK2 & PARK2 BY DAVE MITCHELL Pages 11-14

AFTER A LONG ABSENCE WE WELCOME DAVE BACK WITH A COUPLE OF UPDATED UTILITIES. CHKDSK2 HAS A RE-ENTER OPTION AMONG OTHER IMPROVEMENTS WHILE PARK2 IS FOR 2 DRIVE USE AND CAN ALSO BE USED ON SINGLE DRIVES.

CONVERTING SOURCE CODE UPDATE Page 14

DAVE MITCHELL HAS BEEN BUSY, HIS EDITOR ASSEMBLER WILL LOAD ALL FOUR SOURCE CODE TYPES WITH NO MODIFICATION AT ALL.

EXT12.2 UPDATE Page 14

AT MY SUGGESTION LESLIE MILBURN HAS ADDED A COUPLE COMMANDS TO EXT12.1, HENCE THE NAME CHANGE.

INTRODUCTION TO PROGRAMMING BY BOB KITCH Pages 15-17

AFTER SOME REQUESTS BOB WILL TRY AND HELP AND EXPLAIN WHAT PROGRAMMING IS ALL ABOUT AND HOW TO DO IT PROPERLY.

UNDERSTANDING COMPUTER TECHNOLOGY Page 17

THE BEST EXPLANATION OF COMPUTER TECHNOLOGY I HAVE SEEN IN A LONG TIME.

TECHNICAL DATA SHEETS # 5 & 6 Pages 18-19

TWO VZ200 PRINTER INTERFACES FOR THOSE WITHOUT A VZ TECHNICAL REFERENCE MANUAL AND DECODING Z80 64K MEMORY.

DAVE MITCHELL SOFTWARE FOR SALE Page 20

PATCH3.3 - EXT DOS
MENU/FILE COPIER

USER GROUPS * NEWS * SUBSCRIPTIONS Page 20

BELIEVE IT OR NOT

WE ALL HEARD STORIES ABOUT THE POSTAL SERVICE AND HOW LONG IT TAKES TO GET MAIL FROM ONE PLACE TO ANOTHER. I POSTED A JOURNAL TO SYDNEY (160 KM) IN DECEMBER 1991 AND IT ARRIVED IN JANUARY 1993. CAN ANYONE BEAT THAT?

DISCLAIMER: EVERY EFFORT IS MADE TO INSURE THE ACCURACY OF INFORMATION CONTAINED WITHIN BE IT GENERAL, TECHNICAL, PROGRAMMING, ETC. NO RESPONSIBILITY CAN BE ACCEPTED BY HUNTER VALLEY VZ USERS' GROUP OR AUTHOR AS A RESULT OF APPLYING SUCH INFORMATION IN PRACTICE.

COPYRIGHT: THE HUNTER VALLEY VZ JOURNAL IS SUBJECT TO COPYRIGHT AND NO MATERIAL IN THE JOURNAL MAY BE REPRODUCED IN PART OR WHOLE WITHOUT THE CONSENT OF THE HUNTER VALLEY USERS' GROUP OR THE AUTHOR WHO RETAINS COPYRIGHT.

CONDOLENCES: OUR CONDOLENCES GO TO THE FAMILY AND FRIENDS OF NEVILLE HUGHES WHO PASSED AWAY RECENTLY. NEVILLE, ALTHOUGH IN HIS SEVENTIES WAS A VERY ACTIVE VZ USER AND WILL BE SADLY MISSED.

FAREWELL HARRY & VEE ZEDD DOWN UNDER

AFTER 4.5 YEARS AS EDITOR OF VEE ZEDD DOWN UNDER, HARRY HUGGINS HAS DECIDED TO RETIRE FROM EDITING WITH NEXT ISSUE BEING THE LAST. ON BEHALF OF ALL VZ USERS I WISH HARRY A FULL RECOVERY FROM HIS RECENT ILLNESS AND ALL THE BEST FOR THE FUTURE. ALSO A **BIG THANK YOU** FOR A JOB WELL DONE.

IS THE END OF THE VZ NEAR?

AS THERE WERE NO TAKERS FOR HARRY'S JOB IT WAS DECIDED TO MERGE VEE ZED DOWN UNDER WITH THE HUNTER VALLEY VZ JOURNAL WHICH WILL MAKE IT THE LAST VZ PUBLICATION LEFT IN AUSTRALIA. IT IS UNFORTUNATE THAT BOTH MAGAZINES SURVIVAL HAS DEPENDED SOLELY ON THEIR EDITORS.

FOR A COUPLE YEARS NOW I HAVE BEEN PRODUCING THE JOURNAL FROM START TO FINISH ON MY OWN AND THE LAST 18 MONTHS IN MY BEDROOM UNDER DIFFICULT CIRCUMSTANCES AS MY BROTHER IS A SHIFTWORKER. MY INTENTION IS TO KEEP PRODUCING THE JOURNAL FOR AS LONG AS I CAN AND WHILE THE DEMAND IS THERE.

PICKING UP EXTRA MEMBERS FROM VEE ZED DOWN UNDER WILL MAKE THE JOURNAL A MORE VIABLE PROPOSITION. THE SUPPORT OF REMAINING MEMBERS VIA THEIR SUBSCRIPTIONS AND ARTICLES IS VITAL TO THE JOURNAL'S CONTINUED EXISTENCE.

OUR LOCAL CLUB MEETINGS HAVE BECOME IBM ORIENTATED WITH NOT A VZ IN SIGHT UNLESS THE MEETING IS AT MY PLACE. IT HAS BEEN SUGGESTED THAT THE JOURNAL CATER FOR OTHER COMPUTER SYSTEMS LIKE THE IBM. PERSONALLY I CANNOT SEE THE SENSE IN IT AS COMPUTERS LIKE THE IBM HAVE MASSIVE HARDWARE, SOFTWARE, AND TECHNICAL SUPPORT, ETC, ETC.

LET US NOT FORGET THAT ORIGINALLY VZ USER GROUPS AND PUBLICATIONS LIKE THE VZ 200-300 HUNTER VALLEY JOURNAL, VZ DOWN UNDER WERE FORMED TO GIVE ADDITIONAL SUPPORT TO THAT AVAILABLE FROM DICK SMITH. NOW MORE THAN EVER THE VZ NEEDS ALL THE SUPPORT IT CAN GET.

NOTE: WORK HAS STARTED ON MY HOUSE AND SHOULD BE TO LOCK UP STAGE BY THE TIME YOU GET THIS ISSUE AND IS ONE REASON WHY THIS ISSUE IS LATE, ED.

WANTED TO BUY 64K RAM PACK - CONTACT

STEPHEN GAYST 2/118-122 PACIFIC HWAY ROSEVILLE 2069 (02) 416 6714

VZ SYSTEM FOR SALE - CONTACT

JACK SHEARSMITH 95 MODILLION AVE RIVERTON 6148

1 OFF VZ, POWER SUPPLY AND 16K MEM EXPANSION
1 OFF DISK DRIVE, DISK CONTROLLER AND POWER SUPPLY
1 OFF WORD PRO CARTRIDGE

ALL NECESSARY MANUALS, SEVERAL DICK SMITH BOOKS ON PROGRAMS, TECHNICAL MANUAL, AND ALL THE VZ USER MAGAZINES AND SEVERAL DISKS.

COST: ABOUT $150.00 PLUS POSTAGE

FUNCTION 25 - GET ALTERNATE SUBROUTINE ADDRESS.

PARAMETERS: M1% = 25
M3% = CALL MASK.
RETURN VALUES: M1% = ERROR FLAG (-1 IF ERROR)
M3% = CALL MASK
M4% = SUBROUTINE ADDRESS.

DESCRIPTION: THIS FUNCTION RETURNS THE SUBROUTINE ADDRESS WHICH IS IDENTIFIED BY THE SPECIFIED CALL MASK. THE MASK DEFINITION WAS DESCRIBED IN FUNCTON 24.

FUNCTION 28 - SET MOUSE INTERRUPT RATE.

PARAMETERS: M1% = 28
M2% = POLLING RATE
RETURN VALUES: NONE.

DESCRIPTION: THIS FUNCTION SETS THE NUMBER OF TIMES THE MOUSE IS POLLED EACH TIME AN INTERRUPT OCCURS. NOTE THAT THIS IS NOT DIRECTLY EQUIVALENT TO THE MICROSOFT FUNCTION 28.

FUNCTION 30 - GET CRT PAGE NUMBER.

PARAMETERS: M1% = 30
RETURN VALUES: M2% = CRT PAGE OF CURRENT CURSOR DISPLAY.

DESCRIPTION: THIS FUNCTION CURRENTLY RETURNS PAGE 0 AS ONLY MODE 0 IS SUPPORTED.

FUNCTION 31 - DISABLE MOUSE DRIVER.

PARAMETERS: M1% = 31
RETURN VALUES: M1% = ERROR STATUS (-1 IF ERROR)

DESCRIPTION: THIS FUNCTION DISABLES THE MOUSE INTERRUPT ROUTINE. NOTE THAT THE DRIVER IS NOT UNLOADED FROM MEMORY.

FUNCTION 32 - ENABLE MOUSE DRIVER.

PARAMETERS: M1% = 32
RETURN VALUES: AS PER FUNCTION 0.

DESCRIPTION: THIS FUNCTION ENABLES THE MOUSE DRIVER INTERRUPT ROUTINE.

FUNCTION 35 - GET LANGUAGE NUMBER.

PARAMETERS: M1% = 35
RETURN VALUES: M2% = CURRENT LANGUAGE NUMBER.

DESCRIPTION: THIS FUNCTION RETURNS THE NUMBER OF THE LANGUAGE CURRENTLY SET IN THE DRIVER. (0 = ENGLISH).

FUNCTION 36 - GET DRIVER VERSION AND MOUSE TYPE.

PARAMETERS: M1% = 36
RETURN VALUES: M2% = DRIVER VERSION.
M3% = MOUSE TYPE IN UPPER BYTE.

DESCRIPTION: THIS FUNCTION RETURNS THE VERSION OF THE DRIVER INSTALLED AND THE TYPE OF MOUSE. NOTE THAT THIS FUNCTION IS NOT DIRECTLY EQUIVALENT TO THE MICROSOFT FUNCTION 36.

FUNCTION 38 - GET MAXIMUM VIRTUAL COORDS.

PARAMETERS: M1% = 38
RETURN VALUES: M2% = MOUSE ENABLED FLAG.
M3% = MAXIMUM HORIZONTAL COORD.
M4% = MAXIMUM VERTICAL COORD.

DESCRIPTION: THIS FUNCTION RETURNS THE MAX HORIZONTAL AND VERTICAL COORDS FOR THE CURRENT SCREEN MODE.

FUNCTION 39 - GET SCREEN/CURSOR MASKS AND MOTION COUNTS.

PARAMETERS: M1% = 39
RETURN VALUES: M1% = SCREEN MASK
M2% = CURSOR MASK
M3% = HORIZONTAL MOTION COUNT.
M4% = VERTICAL MOTION COUNT.

DESCRIPTION: THIS FUNCTION RETURNS THE SCREEN AND CURSOR MASKS (AS DESCRIBED IN FUNCTION 10) AND THE CURRENT MOTION COUNTS (NOTE THAT THESE ARE NOT RESET AFTER THIS FUNCTION IS CALLED).

FUNCTION 40 - SET VIDEO MODE.

PARAMETERS: M1% = 40
M3% = VIDEO MODE
RETURN VALUES: M3% = ERROR FLAG. (0 = SUCCESS)

DESCRIPTION: THIS FUNCTION SETS THE DRIVERS VIDEO MODE TO THE SPECIFIED MODE, IF IT IS VALID.

FUNCTION 41 - LIST VIDEO MODES.

PARAMETERS: M1% = 41
M3% = FIND MODE (0 = FIND FIRST)
RETURN VALUES: M3% = FOUND VIDEO MODE NUMBER
M4% = POINTER TO STRING DESCRIPTION.

DESCRIPTION: THIS FUNCTION LISTS ALL VIDEO MODES SUPPORTED BY THE DRIVER. ONCE ALL MODES HAVE BEEN LISTED M3% = -1. M4% POINTS TO A 0 BYTE TERMINATING STRING DESCRIPTION OF THE FOUND VIDEO MODE.

FUNCTION 49 - GET MIN/MAX COORDS.

PARAMETERS: M1% = 49
RETURN VALUES: M1% = MIN HORIZONTAL POS.
M2% = MIN VERTICAL POS.
M3% = MAX HORIZONTAL POS.
M4% = MAX VERTICAL POS.

DESCRIPTION: THIS FUNCTION RETURNS THE MIN AND MAX COORDS FOR THE CURRENT VIDEO MODE, AS SET BY FUNCTIONS 7 & 8. IF THESE FUNCTIONS HAVE NOT BE CALLED THEN THE ABSOLUTE MIN AND MAX COORDS ARE RETURNED.

FUNCTION 50 - GET ACTIVE ADVANCED FUNCTIONS.

PARAMETERS: M1% = 50
RETURN VALUES: M1% = ACTIVE FUNCTIONS FLAG.

DESCRIPTION: THIS FUNCTION RETURNS 16 FLAGS (BITS) THAT INDICATE ACTIVE ADVANCED FUNCTIONS. THE MOST SIGNIFICANT BIT OF M1% IS SET IF FUNCTION 37 IS AVAILABLE OTHERWISE IT IS RESET. THE LEAST SIGNIFICANT BIT OF M1% CORRESPONDS TO FUNCTION 52 AND IS SET IF FUNCTION 52 IS AVAILABLE.

MICROSOFT MOUSE FUNCTIONS NOT SUPPORTED BY THE VZ BUS MOUSE DRIVER (V1.04)

FUNCTION	DESCRIPTION
9	SET GRAPHICS CURSOR BLOCK.
13	LIGHT PEN EMULATION ON.
14	LIGHT PEN EMULATION OFF.
15	SET MICKEY/PIXEL RATIO.
16	CONDITIONAL OFF.
19	SET DOUBLE SPEED THRESHOLD.
26	SET MOUSE SENSITIVITY.
27	GET MOUSE SENSITIVITY.
29	SET CRT PAGE NO.
33	SOFTWARE RESET.
34	SET LANGUAGE FOR MESSAGES
37	GET GENERAL DRIVER INFORMATION.
42	GET CURSOR HOT SPOT.
43	LOAD ACCELERATION CURVES.
44	READ ACCELERATION CURVES.
45	SET/GET ACTIVE ACCELERATION CURVE.
47	MOUSE HARDWARE RESET.
48	SET/GET BALLPOINT.
51	GET SWITCH SETTINGS.
52	GET MOUSE.INI

IMPORTANT NOTES:

(1) FUNCTIONS 17, 18, 46 ARE INTERNAL FUNCTIONS AND SHOULD NOT BE CALLED DIRECTLY BY ANY APPLICATION.

(2) ALTHOUGH FUNCTIONS EQUIVALENT TO THE MICROSOFT MOUSE DRIVER HAVE BEEN PROVIDED, NOT ALL PASSED PARAMETERS AND RETURN VALUES ARE THE SAME.

(3) APPLICATION PROVIDED SUBROUTINES CALLED BY THE MOUSE DRIVER MUST PRESERVE ALL REGISTERS USED. UPON ENTRY TO A SUBROUTINE THE REGISTER VALUES ARE:-

E - BUTTON REGISTER.
A - CONDITION WHICH CAUSED SUBROUTINE CALL.
B - INTERRUPT LOOP COUNT.
C - MOUSE PORT NUMBER.
H - CURRENT HORIZONTAL POS.
L - CURRENT VERTICAL POS.
IX - POINTER TO MOUSE VARIABLES.

USING THE MOUSE DRIVER FUNCTIONS:-

(A) WITH BASIC PROGRAMS

THIS IS EASY TO DO AS THE NEW COMMAND MOUSE() IS PROVIDED WHEN THE MOUSE DRIVER IS LOADED. REFER TO PART 1 FOR DETAILS OF THIS FUNCTION.

(B) WITH MACHINE CODE PROGRAMS

TO USE THE MOUSE DRIVER WITH M/C PROGRAMS AN ALTERNATE CALLING METHOD HAS BEEN PROVIDED. AS THE DRIVER IS RELOCATABLE, DIRECT ADDRESSING CANNOT BE USED TO CALL THE FUNCTIONS. AS WITH MY LAST PROJECT, KSCAN, IMPORTANT POINTERS ARE STORED IN THE COMMUNICATIONS REGION. THESE ARE:-

MPTR 31278-79: THIS POINTS TO THE DRIVER.
MFUN 31280-82: THIS AIDS INTERNAL INDIRECT FUNCTION CALLS.
MCAL 31283-85: THIS POINTS TO THE FUNCTION CALLING ROUTINE.
PREG 31286-87: THIS POINTS TO THE MOUSE VARIABLES.

NOTE: THESE ADDRESSES CLASH WITH THE FIND ROUTINE BUT NOT KSCAN.

THE POINTER OF MAIN INTEREST IS MCAL. THIS ALLOWS A M/C ROUTINE TO CALL ANY OF THE MOUSE FUNCTIONS. THIS IS DONE AS FOLLOWS:-

```
LD IX, M1% (THE MOUSE FUNCTION NUMBER)
LD BC, M2% (THE FIRST PARAMETER)
LD DE, M3% (THE SECOND PARAMETER)
LD HL, M4% (THE THIRD PARAMETER)
CALL MCAL
```

GETTING AND RUNNING THE DRIVER:-

THE MOUSE DRIVER ACCEPTS COMMAND LINE OPTIONS. CURRENTLY ONLY TWO ARE SUPPORTED, THESE ARE -P AND -A. THE -A OPTION ALLOWS THE USER TO SPECIFY THE DESTINATION ADDRESS OF THE DRIVER. THE -P OPTION ALLOWS THE USER TO SPECIFY THE MOUSE PORT. NOTE THAT IF MORE THAN ONE OPTION IS SPECIFIED THEY MUST BE SEPERATED BY A SPACE.

EXAMPLES:

(I) BRUN"MD1.04" OR BRUN"MD1.04":

THIS INSTALLS THE DRIVER AT TOP OF MEMORY AND SELECTS THE DEFAULT MOUSE PORT (PORT 2).

(II) BRUN"MD1.04":-A49152 OR BRUN"MD1.04":-A49152:

THIS INSTALLS THE DRIVER AT ADDRESS 49152 AND SELECTS THE DEFAULT MOUSE PORT.

(III) BRUN"MD1.04":-P20 OR BRUN"MD1.04":-P20:

THIS INSTALLS THE DRIVER AT THE TOP OF MEMORY AND SELECTS PORT 20 AS THE MOUSE PORT.

(IV) BRUN"MD1.04":-P100 -A50000 OR BRUN"MD1.04":-A50000 -P100

THIS INSTALLS THE DRIVER AT ADDRESS 50000 AND SELECTS PORT 100 AS THE MOUSE PORT.

MISCELLANEOUS NOTES:-

(1) IN PART 1, I MENTIONED THAT THE MOUSE DRIVER WAS VERSION 1.03. IT HAS SINCE BEEN UPGRADED TO 1.04

(2) A NEW BOOK IS AVAILABLE AT ANGUS AND ROBERTSON BOOKSHOPS WHICH DESCRIBES THE FIRST 36 MOUSE FUNCTIONS. IT IS THE PROGRAMMERS QUICK REFERENCE MS-DOS EXTENSIONS BY RAY DUNCAN FROM MICROSOFT PRESS AND COSTS $10-95.

PROBLEMS WITH THE MOUSE DRIVER (V1.04):-

THESE ARE NOT SERIOUS JUST ANNOYING:-

(1) THE DRIVER OVERRIDES ANY OTHER INSTALLED INTERRUPT ROUTINE (INCLUDING KSCAN).

(2) THERE IS CURRENTLY NO WAY TO TELL IF THE DRIVER IS LOADED.

(3) DEPENDING ON THE NUMBER OF TIMES THE MOUSE IS POLLED PER INTERRUPT, THE INBUILT BASIC EDITOR CAN SLOW DOWN DRAMATICALLY.

SOLUTIONS:

THE FIRST TWO PROBLEMS WILL BE RESOLVED IN A FUTURE UPGRADE. ONCE THEY ARE RESOLVED, THE THIRD PROBLEM MAY BE SOLVED BY USING KSCAN RATHER THAN THE DEFAULT KEY SCANNING ROUTINE.

FUTURE SUGGESTIONS:

MY ARTICLE AND GARY BULLEY'S ARTICLE ARE ONLY TWO SOLUTIONS TO THE PROBLEM OF CONNECTING A MOUSE TO THE VZ. BOTH WASTE CPU TIME POLLING THE MOUSE FOR ACTIVITY, MAKING A DECISION AND THEN ACTING UPON THAT DECISION. WHAT IS REALLY REQUIRED IS A HARDWARE "ADDON" - A MOUSE CONTROLLER. THIS SHOULD MONITOR THE MOUSE, MAINTAIN ALL MOUSE VARIABLES, AND MAKE A DECISION ON AN ACTION TO BE TAKEN. IT SHOULD THEN INFORM THE CPU WHICH WILL PERFORM THE REQUIRED ACTION, SUCH AS MOVING THE MOUSE CURSOR

MOUSE DRIVER SOURCE CODE:

UNFORTUNATELY THE SOURCE CODE LISTING IS QUITE LENGTHY AND IS SIMPLY TOO LONG TO PUBLISH IN THE JOURNAL - SORRY ABOUT THAT. HOWEVER, BOTH THE SOURCE CODE AND EXECUTABLE ARE AVAILABLE FROM THE EDITOR, JOE LEON. PLEASE NOTE THAT ONLY AN EDITOR ASSEMBLER WITH THE DISKOPS6 PATCH CAN REGENERATE THE DRIVER.

DISKOPS6 PROVIDES AN OPTION TO LINK OBJECT CODE WHICH IS STORED IN DIFFERENT FILES. IT REQUIRES THE 64K EXPANSION MODULE. IF YOU WOULD LIKE A COPY OF THIS (YET ANOTHER!) VERSION OF EDAS IT CAN ALSO BE OBTAINED VIA THE EDITOR, ADDRESS BELOW.

JOSEPH P LEON 33 TIGHES TERRACE TIGHES HILL 2297 (049) 69 2399

EDITOR'S NOTE: THE OBJECT AND SOURCE CODES FILES FOR THE BUS MOUSE DRIVER ARE SHOWN BELOW.

```
B:MD1.04    01 00 7AE9 840D 0924 - MOUSE DRIVER

W:DRIVER28 02 0D A813 E11F 390C -  713 LINES
W:MBAS1.0  0A 01 A813 B8AB 1098 -  228   "
W:MASS1.0  0C 03 A813 F966 5153 -  974   "
                                   ----
                                   1915 LINES SOURCE CODE
```

AS YOU CAN SEE THAT IS A LOT OF SOURCE CODE TO ENTER. IT WOULD TAKE ABOUT 15.5 PAGES AT 124 LINES PER PAGE AND WOULD TAKE ANOTHER 3 ISSUES TO PUBLISH. ALSO AS LESLIE ALREADY MENTIONED DISKOPS6, A 64K VERSION OF EDITOR ASSEMBLER AND A 64K MEMORY EXPANSION IS REQUIRED.

MOUSE DRIVER TEST PROGRAM

```
10 CLS:PRINT"TOM  =";:PRINT PEEK(30897)+256*PEEK(30898)
20 PRINT"MPTR =";:PRINT PEEK(31278)+256*PEEK(31279)
30 PRINT"PREG =";:PRINT PEEK(31286)+256*PEEK(31287)
40 PRINT"MFUN =";
45 PRINT PEEK(31280);:PRINT PEEK(31281)+256*PEEK(31282)
50 PRINT"MCAL =";
55 PRINT PEEK(31283);:PRINT PEEK(31284)+256*PEEK(31285)
60 PRINT"INTR =";
65 PRINT PEEK(30845);:PRINT PEEK(30846)+256*PEEK(30847)
```

MOUSE DRIVER EXAMPLE PROGRAM

```
010 REM MOUSE DRIVER EXAMPLE
020 CLS
030 REM DISPLAY SELECTION MENU
040 PRINT"PLEASE SELECT:-"
050 PRINT
060 PRINTTAB(10);"1. DIR"
070 PRINTTAB(10);"2. STATUS"
080 PRINTTAB(10);"3. RENAME A FILE"
090 PRINTTAB(10);"4. FORMAT A DISK"
095 PRINT
100 MOUSE(0,0,0,0) 'RESET MOUSE
110 MOUSE(4,0,28,2) 'SET MOUSE POSITION
120 MOUSE(7,0,28,28) 'LIMIT CURSOR TO CURRENT COLUMN
130 MOUSE(8,0,2,5) 'LIMIT CURSOR TO ROWS 2 - 5
140 MOUSE(28,50,0,0) 'REDUCE MOUSE SENSITIVITY
150 MOUSE(1,0,0,0) 'DISPLAY MOUSE CURSOR
200 REM WAIT FOR MOUSE BUTTON PRESS
210 MOUSE(3,M2%,M3%,M4%) 'GET BUTTON PRESS INFO
220 REM CHECK FOR LEFT BUTTON PRESS
230 IF (M2%AND1)<>1,210
235 RS%=M4%:MOUSE(2,0,0,0) 'HIDE MOUSE CURSOR
240 REM PRINT THE STRING OF THE ROW SELECTED.
250 IF RS%=2,PRINT"DIR SELECTED"
260 IF RS%=3,PRINT"STATUS SELECTED"
270 IF RS%=4,PRINT"RENAME SELECTED"
280 IF RS%=5,PRINT"FORMAT SELECTED"
```

VZ BUS MOUSE INPUT PORT

AS MENTIONED PREVIOUSLY, YOU'LL HAVE TO MODIFY GARY BULLEY'S 8 BIT INPUT PORT OR BUILD THE ONE FEATURED WITH THIS ARTICLE. THE BUS MOUSE REQUIRES NO MODIFICATION AT ALL. IF YOU ELECT TO MODIFY GARY'S 8 BIT INPUT PORT FROM ISSUE # 30, PAGE 11 THEN TWO CHANGES ARE REQUIRED.

1) REMOVE DB15 PLUG AND WIRE UP DB9 MALE PLUG AS SHOWN ON NEXT PAGE. BE CAREFUL TO GET THE RIGHT SIGNAL TO THE RIGHT PIN ACCORDING TO DB9 DIAGRAM.

2) D7 ON INPUT SIDE OF 74LS245 (PIN 2) HAS TO BE GROUNDED. YOU CAN LEAVE CAPACITOR IN PLACE AS IT WILL BE EASIER THAN REMOVING IT.

NOTE: LEAVE PIN 19 OF 74LS245 CONNECTED TO PIN 10 OF 74LS138.

THE BUS MOUSE INPUT PORT BELOW WAS DESIGNED TO GO INSIDE A VZ200 OR VZ300 WITH BUS CONNECTIONS COMING FROM THE 30 WAY I/O EXPANSION CONNECTOR. I HAVE BUILT IT, BUT HAVEN'T GOT AROUND TO INSTALLING IT IN MY VZ AS YET. PINOUTS OF BOTH IC'S, DB9 AND 30 WAY EDGE CONNECTOR ARE GIVEN TO HELP INTENDING CONSTRUCTORS.

INPUT PORT SELECTION:

THIS HAS BEEN LEFT TO THE USER TO SELECT. YOU CAN USE I/O PORT ADDRESS SHOWN BY DOTTED LINE BETWEEN 74LS138, PIN 15 AND 74LS245, PIN 19. THE SQUARE MARKERS ON 74LS138 SHOW THE I/O ADDRESSES AVAILABLE. OR IF YOU WISH YOU CAN SELECT AN I/O DECODER FROM TECHNICAL DATA SHEET # 4, ISSUE 41, PAGE 18.

CONSTRUCTION SHOULD CAUSE NO PROBLEMS AS IT IS A FAIRLY SIMPLE PROJECT. LESLIE HAS PROVIDED A MOUSE DRIVER AND IT IS UP TO PROGRAMMERS TO ACCESS ITS FUNCTIONS FROM THEIR OWN PROGRAMS, ED.



```
00001 ;CHECK DISK ROUTINE
00002 ;SELECT DRIVE
00003 ;18:02:92
00004 ;PRINT USR(0) TO RERUN
00005 ;ORG.: 9000H
00006       LD   HL,ST
00007       LD   (788EH),HL
00008 ST    CALL 01C9H
00009       LD   HL,MES1
00010       CALL 2B75H
00011 A1    CALL 0049H
00012       CP   0DH
00013       JR   Z,A1A
00014       CP   32H
00015       JR   Z,TWO
00016       CP   31H
00017       JR   NZ,A1
00018       LD   A,10H
00019       JR   T1
00020 TWO   LD   A,80H
00021 T1    PUSH AF
00022       DI
00023       CALL 4008H
00024       LD   A,(IY+20)
00025       OR   A
00026       JR   Z,T2
00027       LD   B,A
00028       CALL 403EH
00029 T2    CALL 400BH
00030       POP  AF
00031       LD   (IY+0BH),A
00032 A1A   LD   (IY+11H),0
00033       LD   (IY+12H),0
00034       DI
00035       CALL 3450H
00036       CALL 4008H
00037       LD   BC,0032H
00038       CALL 4038H
00039 A2    CALL 4035H
00040       OR   A
00041       JR   Z,A3
00042       LD   HL,MES2
00043       JP   END
00044 A3    INC  (IY+11H)
00045       LD   A,0FH
00046       CP   (IY+11H)
00047       JR   NZ,A2
00048       CALL 4035H
00049       OR   A
00050       JP   NZ,S1
00051       LD   (IY+11H),0
00052       LD   (IY+12H),1
00053       LD   L,(IY+31H)
00054       LD   H,(IY+32H)
00055       LD   E,(IY+34H)
00056       LD   D,(IY+35H)
00057       LD   BC,0050H
00058       LDIR
00059 A4    DI
00060       CALL 4035H
00061       OR   A
00062       JP   NZ,ERR
00063 A4A   INC  (IY+11H)
00064       LD   A,10H
00065       CP   (IY+11H)
00066       JR   NZ,A4
00067       LD   (IY+11H),0
00068       INC  (IY+12H)
00069       LD   A,28H
00070       CP   (IY+12H)
00071       JR   NZ,A4
00072       LD   L,(IY+31H)
00073       LD   H,(IY+32H)
00074       PUSH HL
00075       LD   (HL),0
00076       POP  DE
00077       PUSH DE
00078       INC  DE
00079       LD   BC,007FH
00080       LDIR
00081       POP  DE
00082       LD   L,(IY+34H)
00083       LD   H,(IY+35H)
00084       LD   BC,0050H
00085       LDIR
00086       CALL WP
00087       LD   (IY+11H),0FH
00088       LD   (IY+12H),0
00089       CALL 4032H
00090       OR   A
00091       JR   Z,A5
00092 S1    LD   HL,MES3
00093       JP   END
00094 A5    LD   L,(IY+31H)
00095       LD   H,(IY+32H)
00096       LD   DE,0
00097       LD   C,4EH
00098 A6    LD   B,8
00099       LD   A,(HL)
00100 A7    RRC  A
00101       JR   C,A8
00102       INC  DE
00103 A8    DJNZ A7
00104       INC  HL
00105       DEC  C
00106       JR   NZ,A6
00107       PUSH DE
00108       PUSH DE
00109       POP  HL
00110       CALL 0FAFH
00111       LD   HL,MES4
00112       CALL 2B75H
00113       POP  HL
00114       PUSH HL
00115       SRL  H
00116       RR   L
00117       SRL  H
00118       RR   L
00119       SRL  H
00120       RR   L
```

```
00121        CALL 0FAFH
00122        LD   A,2EH
00123        CALL 033AH
00124        POP  HL
00125        LD   A,7
00126        AND  L
00127        INC  A
00128        LD   B,A
00129        LD   HL,0FF83H
00130        LD   DE,007DH
00131 A9     ADD  HL,DE
00132        DJNZ A9
00133        CALL 0FAFH
00134        LD   HL,MES5
00135 END    CALL 2B75H
00136        CALL 400BH
00137        JP   1A19H
00138 ERR    LD   L,(IY+34H)
00139        LD   H,(IY+35H)
00140        LD   A,(IY+12H)
00141        DEC  A
00142        SLA  A
00143        LD   E,A
00144        LD   D,0
00145        LD   A,(IY+11H)
00146        CP   8
00147        CCF
00148        ADC  HL,DE
00149        AND  7
00150        INC  A
00151        LD   B,A
00152        LD   C,(HL)
00153        RLC  C
00154 A13    RRC  C
00155        DJNZ A13
00156        SET  0,C
00157        LD   B,A
00158        RRC  C
00159 A14    RLC  C
00160        DJNZ A14
00161        LD   (HL),C
00162        JP   A4A
00163 WP     IN   A,(13H)
00164        BIT  7,A
00165        RET  Z
00166        CALL 400BH
00167        EI
00168        LD   HL,WP1
00169        CALL 2B75H
00170        LD   HL,WP2
00171        CALL 2B75H
00172 FA     LD   A,(7AAFH)
00173        OR   A
00174        JR   NZ,FA
00175 K2     CALL 0049H
00176        CP   0DH
00177        JR   NZ,K2
00178        DI
00179        CALL 3450H
00180        CALL 4008H
00181        LD   BC,0032H
00182        CALL 4038H
00183        RET
00184 MES1   DEFB 1FH
00185 *            CHECK DISK*
00186        DEFB 0DH
00187 *      WRITTEN BY D.MITCHELL*
00188        DEFB 0DH
00189 *    LAST UPDATE : 18:02:92*
00190        DEFB 0DH
00191 WP2    DEFB 0DH
00192 *    PRESS RETURN OR 1 OR 2*
00193        DEFB 0DH
00194        NOP
00195 MES2   EQU  $
00196 *ERROR IN DIRECTORY SECTORS
00197 * TRY  REFORMATTING*
00198        DEFW 000DH
00199 MES3   EQU  $
00200 *ERROR IN STATUS SECTOR TRY
00201 *        REFORMATTING*
00202        DEFW 000DH
00203 MES4   EQU  $
00204 * SECTORS FREE    *
00205        NOP
00206 MES5   EQU  $
00207 *K FREE*
00208        DEFW 0D0DH
00209        NOP
00210 WP1    EQU  $
00211        DEFB 0DH
00212 *REMOVE WRITE PROTECT LABEL*
00213        NOP
```

THIS IS AN UPDATE OF ONE MY SMALL ROUTINES WHICH WAS PREVIOUSLY PUBLISHED IN ISSUE # 24, MAY/JUNE 1989. I USE CHECK DISK WHEN I GET AN INPUT/OUTPUT ERROR AFTER I HAVE INITIALIZED A DISK. THE PROGRAM READS EACH SECTOR OF THE DISK AND CHECKS FOR ERRORS. THIS PROGRAM DOES NOT STOP THE ERROR BUT IT WILL RETRIEVE SOME DISKS FROM THE SCRAP HEAP. THE PROGRAM WILL REDUCE THE STORAGE AREA ON THE DISK IF IT CANNOT FIND TRACKS OR SECTORS, THE AMOUNT OF FREE SPACE LEFT ON THE DISK (STATUS) WILL BE PRINTED TO THE SCREEN AT THE END OF THE PROGRAM.

WITH IBM & COMPATABLE COMPUTERS A CHECK IS MADE OF DISKS AFTER THEY ARE FORMATTED. IF SECTORS CANNOT BE FOUND, WHOLE TRACKS ARE LOCKED OFF FROM THE USER.

WITH THE VZ A CHECK IS ALSO MADE BUT WHEN ERRORS ARE FOUND IT PRINTS THE DREADED INPUT/OUTPUT ERROR.

CHECK DISK DOES NOT LOCK OFF WHOLE TRACKS JUST THE SECTORS THAT THE ERROR OCCURRED IN.

CHECK DISK CAN ALSO BE USED ON A DISK THAT HAS PROGRAMS STORED ON IT AS CHKDSK PLACES THE TRACK MAP INTO MEMORY AND READS THE DISK THEN SAVES THE MAP TO DISK.

IF YOU SAVE A PROGRAM AND GET AN I/O ERROR THEN ERASE THAT PROGRAM AND BRUN CHKDSK THIS SHOULD REPAIR THE ERROR.

AFTER THE CHKDSK PROGRAM HAS RUN A MESSAGE WILL APPEAR ON THE SCREEN PRESSING RETURN THE PROGRAM WILL CHECK THE DISK IN THE DRIVE THAT CHKDSK WAS LOADED FROM.

PRESSING THE 1 KEY WILL CHECK THE DISK IN DRIVE 1 AND PRESSING 2 KEY WILL CHECK THE DISK IN DRIVE 2.

WHEN THE 1 OR 2 KEYS ARE PRESSED THE DRIVE THAT CHKDSK WAS LOADED FROM WILL RESET TO TRACK ZERO BEFORE SELECTING THE RELEVANT DRIVE. AGAIN THIS IS TO TRY AND STOP THE BASHING OF THE DRIVE HEADS.

CHECKDISK 2 COMMANDS:

```
  RETURN - WILL CHECK DISK FROM DRIVE CHKDSK2 WAS BRUN FROM.
       1 - WILL CHECK DISK IN DRIVE 1.
       2 - WILL CHECK DISK IN DRIVE 2.
           MAKE SURE THAT DRIVE 2 IS ACTIVATED OR VZ COULD HANG UP.
    QUIT - OPEN DRIVER DOOR, PRESS RETURN THEN PRESS (-) MINUS KEY
           AFTER WHICH AN ERROR MESSAGE WILL BE PRINTED OUT AND CAN
           BE IGNORED.
RE-ENTER - PRINT USR(0)
```

PARK UPDATE BY DAVE MITCHELL

```
00001 ;PARK ROUTINE FOR TWO DRIVES
00002 ;WRITTEN BY D.MITCHELL
00003 ;LAST UPDATE : 20:06:92
00004       DI
00005       LD    (IY+0),0
00006       LD    A,(IY+11)
00007       CP    80H
00008       JR    NZ,D1
00009       LD    (IY+0),2
00010       LD    A,(IY+20)
00011       OR    A
00012       JR    Z,D1
00013       PUSH  AF
00014       CALL  4008H
00015       POP   AF
00016       LD    B,A
00017       CALL  403EH
00018       CALL  400BH
00019 D1    LD    (IY+11),10H
00020       LD    A,27H
00021       SUB   (IY+20)
00022       JR    Z,END
00023       PUSH  AF
00024       CALL  4008H
00025       POP   AF
00026       LD    B,A
00027       CALL  403BH
00028       CALL  400BH
00029 END   EI
00030       LD    HL,MES
00031       CALL  2B75H
00032       LD    A,(IY+0)
00033       OR    A
00034       JR    Z,A1
00035       LD    (IY+0),0
00036       LD    HL,TWO
00037       JR    A2
00038 A1    LD    HL,ONE
00039 A2    CALL  2B75H
00040       JP    1A19H
00041 MES   DEFB  1FH
00042 *       DRIVE PARK ROUTINE*
00043       DEFB  0DH
00044 *     WRITTEN BY D.MITCHELL*
00045       DEFB  0DH
```

```
00045        DEFB 0DH
00046 *      LAST UPDATE: 20.06.92*
00047        DEFB 0DH
00048        NOP
00049 TWO    EQU  $
00050 *  DRIVE 2 PARKED AT TRACK*
00051 * 00*
00052        DEFB 0DH
00053 ONE    EQU  $
00054 *  DRIVE 1 PARKED AT TRACK*
00055 * 39*
00056        NOP
00057        NOP
```

SAVE YOUR OBJECT CODE AS PARK2 SO IT WONT GET MIXED UP WITH OTHER VERSIONS AND WHEN YOU RUN PARK2 YOU'LL SEE ONE OF TWO DISPLAYS SHOWN BELOW DEPENDING FROM WHICH DRIVE YOU LOADED PARK2 FROM.

```
    DRIVE PARK ROUTINE
  WRITTEN BY D.MITCHELL
  LAST UPDATE:  20.6.92
DRIVE 2 PARKED AT TRACK 00
DRIVE 1 PARKED AT TRACK 39
READY
```

```
    DRIVE PARK ROUTINE
  WRITTEN BY D.MITCHELL
  LAST UPDATE:  20.6.92
DRIVE 1 PARKED AT TRACK 39
READY
```

EDITORS NOTE: AS A REGULAR VZ USER I USE PARK VERY FREQUENTLY TO RESET MY VZ WITHOUT BANGING THE DRIVE HEADS AND DIMINISHING IT'S LIFE EXPECTANCY. MOST OF MY BASIC PROGRAMS HAVE A "QUIT & PARK" OPTION WHICH I USE TO EXIT THE PROGRAM. THEN THE VZ GETS TURNED OFF OR THE RESET BUTTON IS PRESSED TO CLEAR MEMORY AND I LOAD ANOTHER PROGRAM. EITHER WAY THERE'S NO MORE HEAD BANGING. HAPPY PARKING!

CONVERTING SOURCE CODE UPDATE

DAVE MITCHELL HAS MODIFIED HIS EDITOR ASSEMBLER SO IT WILL ALSO LOAD W:SOURCE & A:SOURCE CODE FILES WITHOUT MODIFICATION.

AT LONG LAST IN-COMPATIBILITY IS NO LONGER A PROBLEM FOR ONE EDITOR ASSEMBLER AND I HOPE OTHER AUTHORS WILL FOLLOW SUIT. BELOW ARE THE COMMANDS USED TO LOAD THE VARIOUS SOURCE CODE FILES.

TL:FILENAME WILL LOAD DM(S) & MH(S) SOURCE CODE FILES.
TM:FILENAME WILL LOAD RH(A) & LM(W) SOURCE CODE FILES.

NOTE: THE COMMAND TM: IS NORMALLY USED TO MERGE SOURCE CODE FILES, ED.

EXT DOS V12.1 UPDATE

THE FOLLOWING COMMANDS AND ENHACEMENTS HAVE BEEN MADE TO EXT12.1 WHICH IS NOW KNOWN AS EXT12.2.

DIS? - NUMBER OF BYTES AND FILES HAS BEEN ADDED.
LDIS? - AS DIS? EXCEPT ALL OUTPUT GOES TO THE PRINTER.
EREL"FILENAME",XXXX - RELOCATES END OF FILE

THIS COMMAND IS SIMILIAR TO REL"FILENAME", EXCEPT IT END RELOCATES A FILE. THE FILENAME AND NEW <u>END</u> ADDRESS IS REQUIRED. A NEW START ADDRESS IS AUTOMATICALLY CALCULATED AND BOTH THE NEW START AND END ADDRESSES ARE PLACED INTO THE DISK DIRECTORY. SEE EXAMPLE BELOW.

SAMPLE FILE - W:MOUSE3 18 02 D861 FE00 259F - R. HARRISON WP FILE

COMMAND: - EREL"MOUSE3",D000 - USE HEX NUMBERS ONLY.

RESULT: - W:MOUSE3 18 02 AA61 D000 259F - D. MITCHELL WP FILE

MOST OF YOU WILL NEVER USE THE EREL COMMAND UNLESS YOU GET RUSSELL HARRISON WP FILE/S AND YOU ONLY HAVE DAVE MITCHELL'S WP. A RH.WP FILE WOULD OVER-WRITE DAVE MITCHELL'S WP RESERVED MEMORY AREA ABOVE D000 AND HANG UP PROGRAM. EREL WILL SOLVE THAT PROBLEM NEATLY.

INTRODUCTION TO PROGRAMMING 42-15
PART I BY BOB KITCH

I HAVE BEEN ASKED TO CONTRIBUTE A SERIES ON BASIC PROGRAMMING FOR VZ USERS. SO HERE GOES.

FIRSTLY, THE SERIES WILL BE UNCONVENTIONAL. MOST INTRODUCTIONS TO BASIC PROCEED BLOW-BY-BLOW THROUGH THE VARIOUS BASIC COMMANDS. I WILL NOT - MANY TEXTS EXIST WHICH CAN EXPLAIN THESE BETTER THAN I CAN.

SECONDLY, THE SERIES WILL INITIALLY BE NON-SPECIFIC TO ANY PARTICULAR COMPUTER LANGUAGE. GENERAL PROGRAMMING CONCEPTS AND GUIDELINES WILL BE OFFERED. THE PRINCIPLES WILL BE EQUALLY APPLICABLE TO BASIC, ASSEMBLER, PASCAL OR WHATEVER.

THIRDLY, ADVANCED PROGRAMMING CONCEPTS AND HINTS WILL BE OFFERED AS THEY ARE NEEDED. THIS IS THE BEST TIME TO INTRODUCE THESE SINCE THEIR MYSTIQUE IS REMOVED.

FOURTHLY, EARLY EMPHASIS WILL BE ON PLANNING, ORGANISING AND MAINTAINING A PROGRAM, RATHER THAN ENCOURAGING FEVERISH CODING AT THE KEYBOARD (WHICH IS USUALLY COMMENCED TOO EARLY BY BEGINNERS).

IT IS QUITE POSSIBLE TO RECOGNISE A BREED OF COMPULSIVE PROGRAMMERS, BORN FROM THE HOME MICRO BOOM. THIS BREED, IS EMERGING FROM THE BRAVE NEW WORLD OF TOMORROW'S TECHNOLOGY WHOSE REASON FOR EXISTENCE IS SIMPLY TO PROGRAM. PEOPLE BECOME TOTALLY FASCINATED BY THE UNLIMITED ABSTRACT WORLD THAT THE INSIDE OF A COMPUTER OFFERS.

WE CAN CREATE A UNIVERSE OR ANY WORLD INSIDE A MACHINE. IN THE ABSTRACT WORLD OF PROGRAMMING, A WELL THOUGHT OUT PROGRAMMING METHOD SERVES AS A MAP, AND THE TECHNIQUES OF SOFTWARE ENGINEERING ARE THE WEAPONS. THESE THEN ARE THE MAIN THREADS OF THIS SERIES.

LET'S COMMENCE THIS MONTH WITH A FEW DEFINITIONS AND CONCEPTS TO PONDER OVER UNTIL THE NEXT INSTALLMENT.

THE COMPUTER IS A MACHINE, AND IS ONLY CAPABLE OF DOING SIMPLE WORK. IT HAS BEEN TERMED BY SOME AS "A REMARKABLY EFFICIENT COUNTING MACHINE WITH A LARGE MEMORY - BUT NO BRAINS!" IT HAS NO INTELLIGENCE AND CANNOT THINK.

A COMPUTER SYSTEM CONSISTS OF FOUR ELEMENTS :-

1. THE CENTRAL PROCESSOR UNIT (IN THE VZ IT IS THE Z-80A MICROPROCESSOR CHIP) WITH "PRIMARY MEMORY" (ROM AND UP TO 34K RAM).

2. INPUT DEVICES - KEYBOARD, CASSETTE, DISK AND SO ON.

3. OUTPUT DEVICES - SCREEN, PRINTER, CASSETTE, DISK, IN-BUILT SPEAKER, VOICE AND SOUND SYNTHESISERS ETC.

4. "SECONDARY MEMORY" - NOT ESSENTIAL BUT MAY BE CASSETTE OR DISK WHEN USED TO UPDATE OR RELIEVE PRIMARY MEMORY.

MAN-MACHINE INTERFACE. THE INTERACTION BETWEEN MAN-MACHINE INPUTS AND OUTPUTS IS A CONTINUOUS AND CIRCULAR FEEDBACK PROCESS. E.G. MAN OUTPUT (KEYPRESS) IS MACHINE INPUT ..OR.. MACHINE OUTPUT (SCREEN PROMPT) IS MAN INPUT- ..AND SO ON. THIS INTERACTION FORMS THE BASIS OF USING COMPUTERS.

THE FOUR FOLD SUBDIVISION OF A COMPUTER SYSTEM IS LITTLE DIFFERENT TO OUR OWN MENTAL CAPABILITIES. THE CPU AND PRIMARY MEMORY IS BROADLY EQUIVALENT TO OUR MIND. THE I/O DEVICES ARE SIMILAR TO OUR SENSES (TOUCH, TASTE, SIGHT, SENSE OF HEAT, SPEAKING, HEARING).

THE SECONDARY MEMORY IS DIRECTLY COMPARABLE TO OUR USE OF EXTERNAL AIDS TO ASSIST OUR MEMORY, SUCH AS NOTE BOOKS, FILING CABINETS OF INFORMATION, TELEPHONE DIRECTORIES - ALL OF WHICH HAVE SLOW ACCESS AND ARE DIFFICULT TO RECALL COMPARED WITH THINGS ALREADY RESIDENT IN OUR MIND.

COMPUTER PROCESSES OR CAPABILITIES ARE SURPRISINGLY FEW IN NUMBER. THERE ARE ONLY FOUR AND UNLESS AN EXERCISE OR PROBLEM CAN BE BROKEN DOWN INTO THESE ELEMENTARY PROCESSES, THEN CODING OF THE PROGRAM SHOULD NOT COMMENCE. A GREATER UNDERSTANDING OF THE PROBLEM IS REQUIRED BEFORE PROCEEDING.

IT IS IMPORTANT TO CLEARLY DISTINGUISH TWO THINGS WHILST PROGRAMMING. THE FIRST, IS TO DEVISE A LOGICAL SOLUTION TO THE PROGRAMMING EXERCISE, WHICH IS QUITE INDEPENDENT OF THE PARTICULAR LANGUAGE TO BE USED. THE SECOND, IS THE ACTUAL CODING OF THE EXERCISE BEING UNDERTAKEN. THE LATTER STAGE IS EASY, PROVIDED THAT THE FORMER IS WELL UNDERSTOOD.

THE COMPUTER PROGRAM WILL ONLY FUNCTION CORRECTLY IF THE LOGIC OF THE PROGRAM IS CORRECT, AND THERE ARE NO AIDS OR DIAGNOSTICS AVAILABLE FROM THE MACHINE TO ASSIST IN ACHIEVING CORRECTNESS IN THIS DEMANDING ASPECT OF PROGRAM DESIGN. SOME DIAGNOSTICS ARE HOWEVER AVAILABLE TO ASSIST IN THE CODING PORTION OF THE TASK - SUCH AS THE SYNTAX CHECKING.

AS ONE BECOMES MORE FAMILIAR WITH PROGRAMMING LANGUAGES IT IS SOON APPARENT THAT MANY OF THE POWERFUL COMMAND STRUCTURES ARE SIMPLY MACRO INSTRUCTIONS FORMED FROM THESE FEW "PRIMATIVES".

THE FOUR PROCESSES ARE :-

1. INPUT DATA AND STORE IT IN PRIMARY MEMORY - THE DATA MAY BE EITHER "RAW" DATA INPUT (E.G. FROM KEYBOARD) OR READ-IN FROM THE SECONDARY STORE. (E.G.TAPE).

2. OUTPUT DATA ALREADY STORED IN PRIMARY MEMORY - EITHER AS "OUTPUT" (E.G. TO SCREEN) OR WRITTEN-OUT TO SECONDARY MEMORY (E.G.TAPE).

3. PERFORM SIMPLE ARITHMETIC PROCEDURES (ADDITION OR SUBTRACTION) UPON DATA IN PRIMARY MEMORY ONLY.

4. PERFORM LOGICAL COMPARISONS (DISJUNCTION, CONJUNCTION AND NEGATION) BETWEEN TWO ITEMS OF DATA IN PRIMARY MEMORY.

(REMEMBER - I/O, ARITHMETIC, COMPARISONS ONLY)

TO CONTINUE THE ANALOGY WITH OURSELVES, I DOUBT WHETHER WE CAN DO ANYTHING MORE THAN THESE OPERATIONS EXCEPT THAT WE USE EXPERIENCE. THE COMPUTERS' ANALOGUE OF THIS IS THE PROGRAM AS IT POSSESSES ZERO INTELLIGENCE.

THE PROGRAMMING TASK IS TO UTILIZE THE HIGH SPEED AND LARGE MEMORY CAPACITY OF A COMPUTER SYSTEM TO DO SOMETHING USEFUL - SUCH AS CARRY OUT CALCULATIONS (NUMBER CRUNCHING), PLAY GAMES, MONITOR HOUSE SECURITY ETC.

THE SPECTRUM OF TASKS INVOLVED IN PROGRAMMING IS VERY BROAD, SO LITTLE WONDER THAT BEGINNERS HAVE TROUBLE GRASPING THE ESSENTIALS, OR THAT MANY PROGRAMS ARE "BADLY" WRITTEN. THE TASK INVOLVES TAKING AN IDEA OR CONCEPT AND TRANSLATING THAT INTO A SYMBOLIC (PROGRAM STATEMENT) FORM OF REPRESENTATION.

AN INTERMEDIATE STAGE IN THIS TRANSLATION OFTEN INVOLVES MODELLING THE PHENOMENON BEING PROGRAMMED. THIS PSYCHOLOGICALLY INVOLVES MOVING FROM CONCRETE CONCEPTS TO VARIOUS LEVELS OF ABSTRACTION - AGAIN A VERY DIFFICULT THING FOR, PARTICULARLY YOUNG, MINDS TO MASTER.

THE TRANSITION FROM AN IDEA TO A PROGRAM CAN SELDOM BE ACHIEVED IN ONE LEAP - MORE OFTEN A NUMBER OF INTERMEDIATE STEPS ARE REQUIRED. LIKEN IT TO WRITING AN ESSAY WHERE DRAFTS AND NOTES ARE USED BEFORE THE FINAL PROSE IS PRODUCED. FORTUNATELY A NUMBER OF USEFUL TOOLS HAVE BEEN DEVELOPED TO ASSIST IN PRODUCING A GOOD PROGRAM.

IN MY VIEW, ONE OF THE GREATEST PITFALLS OF THE HOME COMPUTER BOOM IS THAT THESE INTERMEDIATE STEPS ARE NOT UNDERSTOOD BY USERS SO THAT, AT LEAST, BAD PROGRAMS AND, AT WORST, DISILLUSIONED PROGRAMMERS RESULT. MANY OF THESE PEOPLE MAY FIND THEIR WAY INTO THE COMPUTER INDUSTRY OF THE FUTURE.

THERE IS ALWAYS MORE PERSONAL SATISFACTION IN ACHIEVING A "GOOD" JOB EVEN IF IT IS ONLY A GAMES PROGRAM FOR THE KIDS. IT IS ALSO MORE FUN, (THE ESSENCE OF HOME MICROS) AS THERE IS LESS HASSLE IN GETTING A PROGRAM TO RUN, AND MORE TIME FOR MORE PROGRAMS.

IN THE MICROCOMPUTER ENVIRONMENT WHERE THERE ARE ALWAYS HARDWARE LIMITATIONS, IT MEANS THAT IT IS VERY DIFFICULT TO COMPLETELY SEPERATE HARDWARE AND SOFTWARE ASPECTS OF THE PROGRAMMING TASK. THE PROGRAMMER MAY HAVE TO GET "CLOSE TO THE HARDWARE" - USUALLY DUE TO HARDWARE/MEMORY LIMITATIONS OR RESTRICTED I/O CAPABILITIES. DON'T SHY AWAY FROM HARDWARE BY SAYING "BUT I AM ONLY INTERESTED IN WRITING PROGRAMS" AS THE TWO ARE SOMEWHAT INSEPERABLE.

NEXT ISSUE WE WILL LOOK AT THE VARIOUS STAGES IN THE PROGRAMMING TASK, OR HOW TO APPROACH A PROGRAMMING EXERCISE. (SEE, NO MENTION OF BASIC CODE IN THIS ARTICLE!)

FINALLY, I WOULD LIKE TO OFFER TO USERS THAT YOUR PROGRAMMING QUERIES WILL BE ANSWERED IF YOU WRITE TO ME - WITH A SAE. PLEASE. IN THIS MANNER YOU SHOULD GET WHAT YOU WANT AND I WILL OBTAIN A FEEL FOR THE TYPE OF PROBLEMS USERS IN THE HUNTER VALLEY ARE EXPERIENCING.

WRITE TO: BOB KITCH 7 EURELLA ST KENMORE QLD 4069



The diagram explaining some of the more sophisticated aspects of computer design and management.

VZ200 PRINTER INTERFACE (EARLY VERSION)

VZ200 PRINTER INTERFACE





MEMORY ADDRESS DECODING



E & F WP PATCH 3.3: $20.00 PATCH 3.3 WRITTEN BY DAVE MITCHELL WILL CONVERT YOUR E & F TAPE WORD PROCESSOR FOR FULL DISK USE WHILE RETAINING ALL ORIGINAL FUNCTIONS. IT ALSO HAS SHIFT LOCK AND PRINTER CONTROL CODES WHICH CAN BE IMBEDDED IN TEXT AND SAVED TO TAPE OR DISK. **BSTWP.F:** THIS UTILITY PROVIDED WITH PATCH 3.3 WILL CONVERT BASIC PROGRAMS AND ED/ASS. SOURCE CODE FILES INTO WORD PROCESSOR FILES.

EXTENDED DOS V1.3: $15.00 THESE COMMANDS ARE AT YOUR DISPOSAL: MERGE, DIRA, DIRA, DIRB, LDIRB, OLD, OLD., DEC, HEX, MENU, CODE, LTAB, MOVE AND UPDATE, STATUSA AND LSTATUSA. STATUSA AND LSTATUSA ALSO WORKS WITH VERSION 1.0 DOS

MENU/FILE COPIER - $15.00 THIS UTILITY WILL READ YOUR DISK DIRECTORY AND PRESENT YOU WITH SEVERAL OPTIONS. USING THE CURSOR YOU CAN RUN/BRUN ANY PROGRAM OR SELECT FILE COPY, REN, ERASE, DRIVE 1 OR 2, ETC. BESIDES COPYING TEXT AND BINARY FILES ALL OTHER FILES CAN BE COPIED AS WELL EXEPT FOR DATA FILES.

PRICES INCLUDE POSTAGE - FOR PURCHASE OR INFORMATION CONTACT:
DAVE MITCHELL 24 ELPHINSTONE STREET NORTH ROCKHAMPTON 4701
QUEENSLAND AUSTRALIA - PHONE: (079) 27 8519

CONTRIBUTIONS TO THE JOURNAL

IF YOU ARE THINKING OF CONTRIBUTING TO THE JOURNAL THE PREFERED FORMAT IS BASIC LISTINGS, WORD PROCESSOR OR SOURCE CODE FILES ON TAPE OR DISK. FILES FROM THE FOLLOWING WORD PROCESSORS CAN BE ACCEPTED :-

E & F TAPE OR DISK PATCH 3.1-3.3, WORDPRO CARTRIDGE, WORDPRO PATCH, ALL SOURCE CODE FILES AND ALL QUICKWRITE WORD PROCESSOR FILES.

CLUB MEETINGS - ALL WELCOME
FIRST FRIDAY OF MONTH

MEETINGS WILL BE ONCE A MONTH. BECAUSE SOME LOCAL MEMBERS WORK SHIFTWORK MEETING DATES WILL BE ADJUSTED TO ACCOMODATE THEM. WHETHER YOU ARE A LOCAL MEMBER, INTRA OR INTERSTATE VISITOR PLEASE CHECK WITH JOE LEON FIRST.

HUNTER VALLEY VZ JOURNAL SUBSCRIPTIONS

SUBSCRIPTION TO - AUST. - 3 ISSUES $11.00 - 6 ISSUES $21.00
H.V.VZ.JOURNAL - N. Z. - 3 ISSUES $13.00 - 6 ISSUES $26.00
PRICES INCLUDE POST & PACKING

FOR MORE INFORMATION ON MEETINGS AND SUBS CONTACT:
JOE LEON 33 TIGHES TCE TIGHES HILL 2297 (049) 692 399 AUSTRALIA

VZ USER GROUPS & PUBLICATIONS

VZ DOWN UNDER - ISSUE # 40 WILL BE THE LAST
NOTE: SEE PAGE 3 FOR MORE DETAILS.

WAVZ - WESTERN AUSTRALIA VZ USER GROUP
GRAEME BYWATER PO BOX 388 MORLEY W A 6062

BRISBANE VZ USERS WORKSHOP - C/O 63 TINGALPA ST. WYNUM WEST 4178
SOFTWARE FOR SALE - DISK MENU

SAPPHIRE PRODUCTIONS - VZ DISK MAGAZINE - PUBLIC DOMAIN
NOTE: VZ DISK MAGAZINE HAS CEASED PRODUCTION

NOTE: WHEN WRITING TO ANY ABOVE OR H.V.VZ. USERS' GROUP FOR INFORMATION PLEASE ENCLOSE A S.S.A.E. OR NZ 2 INT. REPLY COUPONS.